

Further research is required to determine the conflict horizons that Geometric Separation can support with predicted trajectories derived from both ground based systems and aircraft.

ACKNOWLEDGMENTS

The results were obtained using flight data kindly provided by the Eurocontrol Network Manager from the PRISME database.

REFERENCES

- [1] ICAO Doc 9905 AN/471 Required Navigation Performance Authorization Required (RNP AR) Procedure Design Manual First Edition – 2009.
- [2] Eurocae ED-75D MASPS, Required Navigation Performance for Area Navigation, October 2014.
- [3] ICAO Doc 4444, Air Traffic Management (PANS-ATM) Fifteenth Edition – 2007 Amendment 1 (15/11/2012).
- [4] K Barker, “Method for detecting conflicts between aircraft” UK Patent No: GB2529551 granted 20 July 2016.
- [5] S Navarro, PhD Thesis “Strategic Trajectory De-confliction to Enable Seamless Aircraft Conflict Management”, 12 September 2013
- [6] A. Kuenz, PhD Thesis High Performance Conflict Detection and Resolution for Mult-Dimensiona Objects, 2015
- [7] ATSB Transport Safety Report AO-2014-074, “Loss of separation assurance involving A330 9V-STQ and A320, VH-VFH”.
- [8] RECAT-EU: European Wake Turbulance Categorisation and Separation Minima on Approach and Departure, 15 July 2015.
- [9] Wakenet3-Europe: Aircraft Wake Vortex State-of-the-Art & research Needs, 2015.