















Results indicate that decisions to cancel flights are taken earlier, leaving more time to inform and re-route passengers. Decisions to issues fuel advices are taken later and are more targeted to short haul or long haul flights arriving within a specific timeframe.

#### ACKNOWLEDGMENT

The authors would like to thank the Knowledge Development Centre (KDC) and KLM for their support. The authors are in particular grateful to the KLM flow controllers and flight dispatchers involved in the design and testing of the system.

#### REFERENCES

- [1] Mijatovic, D., et al. "Research of the Relation between the Hourly Inbound Capacity at Schiphol Airport and the Number of KLM Transfer Passengers at Risk of Loosing their Connection.", 6<sup>th</sup> Eurontrol Innovative Research Workshop & Exhibition, 2007.
- [2] Anon., Integrated Aeronautical Information Package, Air Traffic Control the Netherlands, [www.ais-netherlands.nl](http://www.ais-netherlands.nl), retrieved September 2016
- [3] Hesselink, H.H., Nibourg, J.M., "Probabilistic 2-Day Forecast of Runway Use", National Aerospace Laboratory. NLR-TP-2011-287. 2011.
- [4] Ramanujam, V., and Balakrishnan, H., "Estimation of maximum-likelihood discrete-choice models of the runway configuration selection process," in American Control Conference, 2011.
- [5] Houston, S., Murphy, D., "Predicting runway configurations at airports," in Transportation Research Board (TRB) Annual Meeting, 2012, paper number 12-3682.
- [6] Mitchell, T., *Machine Learning*, McGraw-Hill, 1997.
- [7] Greene, W. H., *Econometric Analysis*, 7<sup>th</sup> Edition, Boston: Pearson Education. pp. 803–806. 2012
- [8] Hall M., Eibe F., Holmes G., Pfahringer B., Reutemann P., Witten I.H., *The WEKA Data Mining Software: An Update*; SIGKDD Explorations, Volume 11, Issue 1. 2009
- [9] Prajapati V., *Big Data Analytics with R and Hadoop*, PACKT, 2013
- [10] KDC - LVP Project team, *Improved Low visibility and Ceiling Forecasts at Schiphol Airport*, Final report, part 1, July 2008.